

CSE 390a Lecture 6

bash scripting continued; remote X windows; unix tidbits

slides created by Marty Stepp, modified by Jessica Miller and Ruth Anderson
<http://www.cs.washington.edu/390a/>

Lecture summary

- more shell scripting
 - if/else
 - while/until
 - select/case
 - advanced: arrays and functions
- Remote editing/GUI
- various new Unix/Linux commands
 - file archiving and compression
 - shell history
 - newlines in Unix vs Windows

if/else


```
if [ test ]; then          # basic if
  commands
fi
if [ test ]; then          # if / else if / else
  commands1
elif [ test ]; then
  commands2
else
  commands3
fi
```

- The [] syntax is actually shorthand for a shell command called "test" (Try: "man test")
- there **MUST** be spaces as shown:
 if space [space test space]
- include the semi-colon after] (or put "then" on the next line)

test operators

comparison operator	description
=, !=, <, >	compares two string variables
-z, -n	tests if a string is empty (zero-length) or not empty (nonzero-length)
-lt, -le, -eq, -gt, -ge, -ne	compares numbers ; equivalent to Java's <, <=, ==, >, >=, !=
-e, -f, -d	tests whether a given file or directory exists
-r, -w	tests whether a file exists and is read/writable

```
if [ $USER = "husky12" ]; then
  echo 'Woof! Go Huskies!'
fi
LOGINS=`w -h | wc -l`
if [ $LOGINS -gt 10 ]; then
  echo 'attu is very busy right now!'
fi
```



*Note: man test will show other operators.

More if testing

compound comparison operators	description
if [expr1 -a expr2]; then ... if [test1] && [test2]; then ...	and
if [expr1 -o expr2]; then ... if [test1] [test2]; then ...	or
if [! expr]; then ...	not

```
# alert user if running >= 10 processes when
# attu is busy (>= 5 users logged in)
LOGINS=`w -h | wc -l`
PROCESSES=`ps -u $USER | wc -l`
if [ $LOGINS -ge 5 -a $PROCESSES -gt 10 ]; then
  echo "Quit hogging the server!"
fi
```

safecopy Exercise

- Write a script called safecopy that will mimic the behavior of cp -i:

```
$ cp -i from.txt to.txt
Do you want to overwrite to.txt? (yes/no)
```

```
$ ./safecopy from.txt to.txt
Do you want to overwrite to.txt? (yes/no)
```

safecopy Exercise Solution

```
#!/bin/bash
FROM=$1
TO=$2

if [ -e $TO ]; then
    read -p "Do you want to overwrite $TO?" ANSWER
    if [ $ANSWER = "yes" ]; then
        cp $FROM $TO
    fi
else
    cp $FROM $TO
fi
```

7

BMI Exercise

- Write a program that computes the user's body mass index (BMI) to the nearest integer, as well as the user's weight class:

$$BMI = \frac{weight}{height^2} \times 703$$

BMI	Weight class
≤ 18	underweight
18 - 24	normal
25 - 29	overweight
≥ 30	obese

```
$. /bmi
Usage: ./bmi weight height
```

```
$. /bmi 112 72
Your Body Mass Index (BMI) is 15
Here is a sandwich; please eat.
```

```
$. /bmi 208 67
Your Body Mass Index (BMI) is 32
There is more of you to love.
```

8

BMI Exercise solution

```
#!/bin/bash
# Body Mass Index (BMI) calculator
if [ $# -lt 2 ]; then
    echo "Usage: $0 weight height"
    exit 1 # 1 indicates failure, 0 for success
fi

let H2="$2 * $2"
let BMI="703 * $1 / $H2"
echo "Your Body Mass Index (BMI) is $BMI"
if [ $BMI -le 18 ]; then
    echo "Here is a sandwich; please eat."
elif [ $BMI -le 24 ]; then
    echo "You're in normal weight range."
elif [ $BMI -le 29 ]; then
    echo "You could stand to lose a few."
else
    echo "There is more of you to love."
fi
```

9

Common errors

- `[: -eq: unary operator expected`
 - you used an undefined variable in an if test
- `[: too many arguments`
 - you tried to use a variable with a large, complex value (such as multi-line output from a program) as though it were a simple int or string
- `let: syntax error: operand expected (error token is " ")`
 - you used an undefined variable in a let mathematical expression

10

while and until loops

```
while [ test ]; do # go while test is true
    commands
done
```

```
until [ test ]; do # go while test is false
    commands
done
```

11

While exercise

- Prompt the user for what they would like to do. While their answer is "open the pod bay doors" tell them that you cannot do that and prompt for another action.

12

While Exercise solution

```
#!/bin/bash
# What would you like to do?
read -p "What would you like me to do? " ACTION
echo "You said: $ACTION"
while [ "$ACTION" = "open the pod bay doors" ]; do
    echo "I'm sorry Dave, I'm afraid I can't do that."
    read -p "What would you like me to do? " ACTION
    echo "You said: $ACTION"
done
echo "Bye"
```

13

select and case

- Bash Select
PS3=*prompt* # Special* variable for the select prompt
select *choice* in *choices*; do
 commands
 # Break, otherwise endless loop
 break
done
- Bash Case
case *EXPRESSION* in
 CASE1) *COMMAND-LIST*;;
 CASE2) *COMMAND-LIST*;;
 ...
 CASEN) *COMMAND-LIST*;;
esac

*see lecture 5

14

select/case Exercise

- Have the user select their favorite kind of music, and output a message based on their choice

15

select/case Exercise Solution

```
PS3="What is your favorite kind of music? "
select CHOICE in "rock" "pop" "dance" "reggae"; do
    case "$CHOICE" in
        "rock") echo "Rock on, dude.>";;
        "pop") echo "Top 100 is called that for a reason.>";;
        "dance") echo "Let's lay down the Persian!>";;
        "reggae") echo "Takin' it easy...>";;
        * ) echo "come on...you gotta like something!>";;
    esac
done
```

16

Arrays

```
name=(eLement1 eLement2 ... eLementN)

name[index]=value       # set an element
$name                    # get first element
${name[index]}           # get an element
${name[*]}                # elements sep.by spaces
${#name[*]}               # array's length
```

- arrays don't have a fixed length; they can grow as necessary
- if you go out of bounds, shell will silently give you an empty string
 - you don't need to use arrays in assignments in this course

17

Functions

```
function name() {        # declaration
    commands            # ()'s are optional
}
```


name # call

- functions are called simply by writing their name (no parens)
- parameters can be passed and accessed as \$1, \$2, etc. (icky)
 - you don't need to use functions in assignments in this course

18

Remote editing

- Gnome's file browser and `gedit` text editor are capable of opening files on a remote server and editing them from your computer
 - press `Ctrl-L` to type in a network location to open




19

Remote X display

- normally, you cannot run graphical programs on a remote server
- however, if you connect your SSH with the `-X` parameter, you can!
 - the X-Window protocol is capable of displaying programs remotely

`ssh -X attu.cs.washington.edu`



- Other options (`-Y` for "Trusted" mode, `-C` for compressed, see online)

20

Compressed files

command	description
<code>zip, unzip</code>	create or extract .zip compressed archives
<code>tar</code>	create or extract .tar archives (combine multiple files)
<code>gzip, gunzip</code>	GNU free compression programs (single-file)
<code>bzip2, bunzip2</code>	slower, optimized compression program (single-file)

- many Linux programs are distributed as `.tar.gz` archives
 - first, multiple files are grouped into a `.tar` file (not compressed)
 - next, the `.tar` is compressed via `gzip` into a `.tar.gz` or `.tgz`
- to decompress a `.tar.gz` archive:


```
$ tar -xzf filename.tar.gz
```

21

tar examples

```
$ tar -cvf filename.tar stuff_to_archive
```

- `-c` **create** an archive
- `-v` verbosely list the files processed
- `-f` read to/from a file (as opposed to a tape archive)
- `stuff_to_archive` - can be filenames or a directory

```
$ tar -xzf filename.tar.gz
```

- `-x` **extract** from an archive
- `-z` filter the archive through `gzip` (compress/uncompress it)
- `-f` read to/from a file (as opposed to a tape archive)

22

Other useful tidbits

- Single quotes vs double quotes
 - Quotes tell the shell to treat the enclosed characters as a string
 - Variable names are not expanded in single quotes
 - `STAR=*`
 - `echo $STAR`
 - `echo "$STAR"`
 - `echo '$STAR'`
- Shell History
 - The shell remembers all the commands you've entered
 - Can access them with the `history` command
 - Can execute the most recent matching command with !
 - Ex: `!less` will search backwards until it finds a command that starts with `less`, and re-execute the entire command line

23

Newlines in Windows/Unix

- Early printers had two different command characters:
 - Carriage return (`\r`) – move the print head back to the left margin
 - Line feed (`\n`) – move the paper to the next line
 - Both occurred when you wanted a "newline"
- As time went on, both (`\r\n`) and just (`\n`) were used to signify a "newline"
- Windows typically uses the (`\r\n`) version, while Unix uses (`\n`)
 - Can cause problems when displaying text files created on one system on another system
 - Most modern text editors recognize both and do the right thing
 - Can convert if needed:
 - `dos2unix` and `unix2dos` commands

24