# CSE 451: Operating Systems Winter 2007

# Module 15 BSD UNIX Fast File System

Ed Lazowska lazowska@cs.washington.edu Allen Center 570

# Advanced file system implementations

- · We've looked at disks
- · We've looked at file systems generically
- We've looked in detail at the implementation of the original Bell Labs UNIX file system
  - a great simple yet practical design
  - exemplifies engineering tradeoffs that are pervasive in system design
- Now we'll look at a more advanced file system
  - Berkeley Software Distribution (BSD) UNIX Fast File System (FFS)
    - · enhanced performance for the UNIX file system
    - at the heart of most UNIX file systems today

2/19/2007

© 2007 Gribble, Lazowska, Levy, Zahorian

#### **BSD UNIX FFS**

- Original (1970) UNIX file system was elegant but slow
  - poor disk throughput
    - · far too many seeks, on average
- Berkeley UNIX project did a redesign in the mid '80's
  - McKusick, Joy, Fabry, and Leffler
  - improved disk throughput, decreased average request response time
  - principal idea is that FFS is aware of disk structure
    - it places related things on nearby cylinders to reduce seeks

2/19/2007

© 2007 Gribble, Lazowska, Levy, Zahorjan

#### Recall the UNIX disk layout

- Boot block
  - can boot the system by loading from this block
- Superblock
  - specifies boundaries of next 3 areas, and contains head of freelists of inodes and file blocks
- i-node area
  - contains descriptors (i-nodes) for each file on the disk; all i-nodes are the same size; head of freelist is in the superblock
- File contents area
  - fixed-size blocks; head of freelist is in the superblock
- · Swap area
  - holds processes that have been swapped out of memory


2/19/2007

3

© 2007 Gribble, Lazowska, Levy, Zahorjan

#### Recall the UNIX block list / file content structure

- · directory entries point to i-nodes file headers
- each i-node contains a bunch of stuff including 13 block pointers
  - first 10 point to file blocks (i.e., 512B blocks of file data)
  - then single, double, and triple indirect indexes



## UNIX FS data and i-node placement

- Original UNIX FS had two major performance problems:
  - data blocks are allocated randomly in aging file systems
    - blocks for the same file allocated sequentially when FS is new  $\,$
    - as FS "ages" and fills, need to allocate blocks freed up when other files are deleted
      - deleted files are essentially randomly placed
    - so, blocks for new files become scattered across the disk!
  - i-nodes are allocated far from blocks
    - all i-nodes at beginning of disk, far from data
    - traversing file name paths, manipulating files, directories requires going back and forth from i-nodes to data blocks
- BOTH of these generate many long seeks!

2/19/2007

© 2007 Gribble, Lazowska, Levy, Zahorjan

### FFS: Cylinder groups

- FFS addressed these problems using the notion of a cylinder group
  - disk is partitioned into groups of cylinders
  - data blocks from a file are all placed in the same cylinder group
  - files in same directory are placed in the same cylinder group
  - i-node for file placed in same cylinder group as file's data
- · Introduces a free space requirement
  - to be able to allocate according to cylinder group, the disk must have free space scattered across all cylinders
  - in FFS, 10% of the disk is reserved just for this purpose!
    - good insight: keep disk partially free at all times!
    - this is why it may be possible for df to report >100% full!

2/19/2007

© 2007 Gribble, Lazowska, Levy, Zahorian

# FFS: Increased block size, fragments

- The original UNIX FS had 512B blocks
  - even more seeking
  - small maximum file size ( ~1GB maximum file size)
- Then a version had 1KB blocks
- still pretty puny
- · FFS uses a 4KB blocksize
  - allows for very large files (4TB)
  - but, introduces internal fragmentation
    - on average, each file wastes 2K!
    - why?

      worse, the average file size is only about 1K!
    - why?
  - fix: introduce "fragments"
    - 1KB pieces of a block

2/19/2007

© 2007 Gribble, Lazowska, Levy, Zahorian

#### FFS: Awareness of hardware characteristics

- Original UNIX FS was unaware of disk parameters
- FFS parameterizes the FS according to disk and CPU characteristics
  - e.g., account for CPU interrupt and processing time, plus disk characteristics, in deciding where to lay out sequential blocks of a file, to reduce rotational latency

2/19/2007

© 2007 Gribble, Lazowska, Levy, Zahorjan

#### FFS: Performance

• This was a long time ago - look at the relative performance, not the absolute performance!

|   | l Type of     | Processor and |                                  | Read        |       |   |                     |
|---|---------------|---------------|----------------------------------|-------------|-------|---|---------------------|
|   | File System   | Bus Measured  | Speed                            | Bandwidth   | % CPU |   |                     |
|   | old 1024      | 750/UNIBUS    | 29 Kbytes/sec                    | 29/983 3%   | 11%   |   | (983KB/s is         |
|   | new 4096/1024 | 750/UNIBUS    | 221 Kbytes/sec                   | 221/983 22% | 43%   |   |                     |
|   | new 8192/1024 | 750/UNIBUS    | 233 Kbytes/sec                   | 233/983 24% | 29%   | ' | theoretical         |
|   | new 4096/1024 | 750/MASSBUS   | 466 Kbytes/sec                   | 466/983 47% | 73%   |   | disk<br>throughput) |
|   | new 8192/1024 | 750/MASSBUS   | 466 Kbytes/sec                   | 466/983 47% | 54%   | L | nrougnput)          |
| (block size / fragment size) Table 2a - Reading rates of the old and new UNIX file systems. |               |               |                                  |             |       |   |                     |
|   | Type of       | Processor and |                                  | Write       |       | 1 |                     |
|   | File System   | Bus Measured  | Speed                            | Bandwidth   | % CPU |   |                     |
|   | old 1024      | 750/UNIBUS    | 48 Kbytes/sec                    | 48/983 5%   | 29%   |   |                     |
|   | new 4096/1024 | 750/UNIBUS    | 142 Kbytes/sec                   | 142/983 14% | 43%   |   |                     |
|   | new 8192/1024 | 750/UNIBUS    | 215 Kbytes/sec                   | 215/983 22% | 46%   |   | (CPU maxed          |
|   | new 4096/1024 | 750/MASSBUS   | 323 Kbytes/sec                   | 323/983 33% | 94%   | - | doing block         |
|   | new 8192/1024 | 750/MASSBUS   | 466 Kbytes/sec                   | 466/983 47% | 95%   |   | allocation!)        |
| Table 2b – Writing rates of the old and new UNIX file systems.                              |               |               |                                  |             |       |   |                     |
| 2/19/2007 ©   |               | © 2007        | 7 Gribble Lazowska Levy Zahorian |             |       |   | 10                  |

### FFS: Faster, but less elegant (warts make it faster but ugly)

- · Multiple cylinder groups
  - effectively, treat a single big disk as multiple small disks
  - additional free space requirement (this is cheap, though)
- Bigger blocks
  - but fragments, to avoid excessive fragmentation
- · Aware of hardware characteristics

2/19/2007

© 2007 Gribble, Lazowska, Levy, Zahorjan

11

9